



Proven Reliability, Modern Solutions.

PRODUCT CATALOGUE 2026



Fai un tour virtuale
dell'azienda!
Take a virtual tour
of the company!



About **EURFRIGOR**

Eurfrigor's is a story of love for ice that has lasted for more than half a century. Founded in 1968, the brand joined the Brema Group in 2010, bringing with it a wealth of experience and expertise.

Today, Eurfrigor continues to be one of the most respected names in the Italian ice-making industry and is chosen by countless restaurants, fast-food outlets, hotels, bars, hospitals, spas, and wellness centres for the production of high-quality ice.

Index

	FULL ICE CUBE	3		BIN	37
Machines: EPC 18 NGETC - ECP 25 NGETC - ECP 28 NGETC - ECP 37 NGETC - ECP 46 NGETC - ECP 52 NGETC - ECP 70 NGETC - ECP 80 NGETC - ECP 100 NGETC - ECP 135 NGETC - ECP 155 NGETC - EPCM 150 NG - EPCM 300 NG - EPCM 300 Split Rack - EPCM 300 Split Remote			Machines: BP 240 - BX 110 - BX 200 - BX 350 - BX 550 - ROL B1 - ROL B2 - ROL B3 - ROL B4		
	FULL SQUARE CUBE	9	GREEN TECH		41
Machines: ECP 25 NGETC - ECP 28 NGETC - ECP 37 NGETC - ECP 46 NGETC - ECP 52 NGETC - ECP 70 NGETC - ECP 80 NGETC - ECP 100 NGETC - ECP 135 NGETC - ECP 155 NGETC - EPCM 150 NG					
	FLAT CUBE	15	CERTIFICATIONS		42
Machines: EFM 200 NG - EFM 500 NG - EFM 750					
	HOLLOW CUBE	19			
Machines: ECF 26 NG - ECF 28 NG - ECF 35 NG - ECF 58 NG - ECF 80 NG					
	NUGGET ICE	23			
Machines: EN 50 NG - EN 85 NG - EN 140 NG - ENM 140 NG - ENM 250 NG - ENM 450 NG					
	GRANULAR ICE	27			
Machines: ES 60 NG - ES 102 NG - ES 150 NG - ES 155 NG - ESM 160 NG - ESM 280 NG - ESM 510 NG - ESM 1000 NG - ESM 510 Split - ESM 1000 Split - ESM 700 Split CO ₂ - ESM 1400 Split CO ₂ - ESM 702 Split DEV CO ₂ - ESM 1402 Split DEV CO ₂					
	FLAT SCALES	31			
Machines: ESP 250 NG - ESP 400 NG - ESP 600 NG - ESP 900 NG - ESP 1500 - ESP 2000 - ESP 400 Split - ESP 600 Split - ESP 900 Split - ESP 1500 Split - ESP 2000 Split - ESP 5000 Split - ESP 600 Split CO ₂ - ESP 1000 Split CO ₂ - ESP 1500 Split CO ₂ - ESP 602 Split DEV CO ₂ - ESP 1002 Split DEV CO ₂ - ESP 1502 Split DEV CO ₂					



4583.76.453

full ice cube



ECP 18 NG ETC**Daily Production*** 20 kg**Bin Capacity** up to 4 kg**Ice Type** 13g**Refrigerant** R290**Dimensions (WxDxH)** 356 x 409 x 585* mm**Net Weight** 27,5 kg**ECP 25 NG ETC****Daily Production*** 30 kg**Bin Capacity** up to 6 kg**Ice Type** 13g, 18g, 33g, 42g**Refrigerant** R290**Dimensions (WxDxH)** 387 x 482 x 606* mm**Net Weight** 31 kg**ECP 28 NG ETC****Daily Production*** 30 kg**Bin Capacity** up to 9 kg**Ice Type** 13g, 18g, 33g, 42g**Refrigerant** R290**Dimensions (WxDxH)** 387 x 482 x 686* mm**Net Weight** 32,5 kg**ECP 37 NG ETC****Daily Production*** 38 kg**Bin Capacity** up to 16 kg**Ice Type** 13g, 18g, 33g, 42g**Refrigerant** R290**Dimensions (WxDxH)** 497 x 604 x 686*** mm**Net Weight** 40 kg**ECP 46 NG ETC****Daily Production*** 49 kg**Bin Capacity** up to 16 kg**Ice Type** 13g, 18g, 33g, 42g**Refrigerant** R290**Dimensions (WxDxH)** 497 x 604 x 686*** mm**Net Weight** 43 kg**ECP 52 NG ETC****Daily Production*** 49 kg**Bin Capacity** up to 25 kg**Ice Type** 13g, 18g, 33g, 42g**Refrigerant** R290**Dimensions (WxDxH)** 497 x 604 x 796** mm**Net Weight** 46 kg

ECP 70 NG ETC



Daily Production* 70 kg

Bin Capacity up to 40 kg

Ice Type 13g, 18g, 33g, 42g

Refrigerant R290

Dimensions (WxDxH) 735 x 615 x 846** mm

Net Weight 67 kg

ECP 80 NG ETC



Daily Production* 75 kg

Bin Capacity up to 40 kg

Ice Type 13g, 18g, 33g, 42g

Refrigerant R290

Dimensions (WxDxH) 735 x 615 x 906** mm

Net Weight 71 kg

ECP 100 NG ETC



Daily Production* 93 kg

Bin Capacity up to 60 kg

Ice Type 13g, 18g, 33g, 42g

Refrigerant R290

Dimensions (WxDxH) 735 x 615 x 1006** mm

Net Weight 74 kg

ECP 135 NG ETC



Daily Production* 134 kg

Bin Capacity up to 65 kg

Ice Type 13g, 18g, 33g, 42g, 60g

Refrigerant R290

Dimensions (WxDxH) 838 x 740 x 1070** mm

Net Weight 113 kg

ECP 155 NG ETC



Daily Production* 152 kg

Bin Capacity up to 65 kg

Ice Type 13g, 18g, 33g, 42g, 60g

Refrigerant R290


Dimensions (WxDxH) 738 x 740 x 1070** mm

Net Weight 118 kg

Full ice cube

Truncated cone shape with slightly flattened sides. Available in different sizes, it adapts perfectly to any type of glass.

Crystal-clear and compact, it chills drinks effectively without diluting them.



* Ambient Temperature +21 °C - * Water Temperature +15 °C

* Plus 5 mm feet

** Adjustable feet 110–150 mm

*** Plus 6,5 mm feet

ECPM 300 Split Remote

Daily Production* 300 kg
Compatible bins BX 350
Ice Type 13g, 18g, 33g, 42g, 60g
Compatible Refrigerants R452A,
 R507, R448A, R449A, R407F, R404A

Dimensions (WxDxH) 990 x 585 x 850 mm
Net Weight 97 kg

ECPM 150 NG



Daily Production* 152 kg
Compatible bins BP 240, BX 200, BX 350
Ice Type 13g, 18g, 33g, 42g, 60g
Refrigerant R290

Dimensions (WxDxH) 862 x 555 x 720 mm
Net Weight 118 kg

ECPM 300 NG



Daily Production* 330 kg
Compatible bins BX 350
Ice Type 13g, 18g, 33g, 42g, 60g
Refrigerant R290

Dimensions (WxDxH) 1250 x 580 x 848 mm
Net Weight 152 kg
COMING SOON

ECPM 300 Split Rack





Daily Production* 300 kg
Compatible bins BX 350
Ice Type 13g, 18g, 33g, 42g, 60g
Compatible Refrigerants R452A,
 R507, R448A, R449A, R407F, R404A

Dimensions (WxDxH) 990 x 585 x 850 mm
Net Weight 97 kg



*Ambient Temperature +21 °C - *Water Temperature +15 °C





full square cube



ECP 25 NG ETC**Daily Production*** 30 kg**Bin Capacity** up to 6 kg**Ice Type** 23g**Refrigerant** R290**Dimensions (WxDxH)** 387 x 482 x 606* mm**Net Weight** 31 kg**ECP 28 NG ETC****Daily Production*** 30 kg**Bin Capacity** up to 9 kg**Ice Type** 23g**Refrigerant** R290**Dimensions (WxDxH)** 387 x 482 x 686* mm**Net Weight** 32,5 kg**ECP 37 NG ETC****Daily Production*** 38 kg**Bin Capacity** up to 16 kg**Ice Type** 23g**Refrigerant** R290**Dimensions (WxDxH)** 497 x 604 x 686*** mm**Net Weight** 40 kg**ECP 46 NG ETC****Daily Production*** 49 kg**Bin Capacity** up to 16 kg**Ice Type** 23g**Refrigerant** R290**Dimensions (WxDxH)** 497 x 604 x 686*** mm**Net Weight** 43 kg**ECP 52 NG ETC****Daily Production*** 49 kg**Bin Capacity** up to 25 kg**Ice Type** 23g**Refrigerant** R290**Dimensions (WxDxH)** 497 x 604 x 796** mm**Net Weight** 46 kg**ECP 70 NG ETC****Daily Production*** 70 kg**Bin Capacity** up to 40 kg**Ice Type** 23g**Refrigerant** R290**Dimensions (WxDxH)** 735 x 615 x 846** mm**Net Weight** 67 kg

ECP 80 NG ETC



Daily Production* 75 kg
Bin Capacity up to 40 kg
Ice Type 23g
Refrigerant R290

Dimensions (WxDxH) 735 x 615 x 906** mm
Net Weight 71 kg

ECP 100 NG ETC



Daily Production* 93 kg
Bin Capacity up to 60 kg
Ice Type 23g
Refrigerant R290

Dimensions (WxDxH) 735 x 615 x 1006** mm
Net Weight 74 kg

ECP 135 NG ETC



Daily Production* 134 kg
Bin Capacity up to 65 kg
Ice Type 23g
Refrigerant R290


Dimensions (WxDxH) 838 x 740 x 1070** mm
Net Weight 113 kg

ECP 155 NG ETC



Daily Production* 152 kg
Bin Capacity up to 65 kg
Ice Type 23g
Refrigerant R290

Dimensions (WxDxH) 838 x 740 x 1070** mm
Net Weight 118 kg



23 g
H 31,5 x L 32,5 mm

Full square cube

Cube-shaped ice with an attractive design. Crystal-clear, durable, and featuring excellent cooling performance. Designed for the world of mixology, its slow dilution ensures that the first sip is as enjoyable as the last.



ECPM 150 NG

Daily Production* 152 kg
Compatible bins BP 240, BX 200, BX 350
Ice Type 23g
Refrigerant R290

Dimensions (WxDxH) 862 x 555 x 720 mm
Net Weight 118 kg

* Ambient Temperature +21 °C - * Water Temperature +15 °C

** Plus 5 mm feet

*** Adjustable feet 110–150 mm

**** Plus 6,5 mm feet

flat cube





EFM 200 NG

Daily Production* 190 kg

Compatible bins BP 240, BX 200, BX 350, ROL B2

Ice Type 7g

Refrigerant R290

Dimensions (WxDxH) 770 x 550 x 805 mm

Net Weight 90 kg

COMING SOON

EFM 500 NG



Daily Production* 400 kg

Compatible bins BP 240, BX 200, BX 350, ROL B2

Ice Type 7g

Refrigerant R290

Dimensions (WxDxH) 770 x 550 x 805 mm

Net Weight 113 kg

EFM 750



Daily Production* 770 kg

Compatible bins BX350

Ice Type 7g

Refrigerant R454C


Dimensions (WxDxH) 1250 x 645 x 950 mm

Net Weight 186 kg

Flat cube

Truncated pyramid shape. Weighing approximately 7 grams and featuring multiple facets, it transfers cold quickly to beverages.

Small and versatile, it adapts perfectly to any type of glass.





*Ambient Temperature +21 °C - *Water Temperature +15 °C






hollow cube



ECF 26 NG**Daily Production*** 20 kg**Bin Capacity** up to 4 kg**Ice Type** 20g**Refrigerant** R290**Dimensions (WxDxH)** 386 x 470 x 604* mm**Net Weight** 36 kg**ECF 28 NG****Daily Production*** 20 kg**Bin Capacity** up to 8 kg**Ice Type** 20g**Refrigerant** R290**Dimensions (WxDxH)** 386 x 470 x 684* mm**Net Weight** 38 kg**ECF 35 NG****Daily Production*** 35 kg**Bin Capacity** up to 15 kg**Ice Type** 20g**Refrigerant** R290**Dimensions (WxDxH)** 496 x 582 x 684** mm**Net Weight** 47 kg**ECF 58 NG****Daily Production*** 45 kg**Bin Capacity** up to 20 kg**Ice Type** 20g**Refrigerant** R290**Dimensions (WxDxH)** 496 x 582 x 794** mm**Net Weight** 54 kg**ECF 80 NG****Daily Production*** 83 kg**Bin Capacity** up to 25 kg**Ice Type** 20g**Refrigerant** R290**Dimensions (WxDxH)** 736 x 597 x 904** mm**Net Weight** 75 kg**Ice finger**

Thimble-shaped ice. Thanks to the immersion system combined with paddle technology, it can be produced using any type of water, including very hard water.

Its distinctive shape significantly increases the cooling surface area, making it ideal for serving carbonated beverages.





* Ambient Temperature +21 °C - ** Water Temperature +15 °C
 * Plus 5 mm feet ** Adjustable feet 110-150 mm



Bar



Disco



Hotel



Restaurant



Fast Food



Industry



Medical &
SPA



Fish Market




Fresh Food
Display



Bagged
Ice-Cube

4583.76.453

nugget ice




EN 50 NG**Daily Production*** 55 kg**Bin Capacity** up to 10 kg**Ice Type** 8 x 16 x 7**Refrigerant** R290**Dimensions (WxDxH)** 450 x 620 x 680* mm**Net Weight** 56 kg**EN 85 NG****Daily Production*** 90 kg**Bin Capacity** up to 20 kg**Ice Type** 8 x 16 x 7**Refrigerant** R290**Dimensions (WxDxH)** 500 x 660 x 690** mm**Net Weight** 59 kg**EN 140 NG****Daily Production*** 145 kg**Bin Capacity** up to 50 kg**Ice Type** 8 x 16 x 7**Refrigerant** R290**Dimensions (WxDxH)** 738 x 690 x 1020** mm**Net Weight** 94 kg**ENM 140 NG****Daily Production*** 128 kg**Compatible bins** BP 240, BX 110, BX 200, ROL B1**Ice Type** 8 x 16 x 7**Refrigerant** R290**Dimensions (WxDxH)** 560 x 569 x 600 mm**Net Weight** 63 kg**ENM 250 NG****Daily Production*** 243 kg**Compatible bins** BP 240, BX 110, BX 200,
BX 350, ROL B1, ROL B2**Ice Type** 13 x 18 x 13**Refrigerant** R290**Dimensions (WxDxH)** 560 x 569 x 695 mm**Net Weight** 83 kg**ENM 450 NG****Daily Production*** 370 kg**Compatible bins** BP 240, BX 110, BX 200,
BX 350, BX 550, ROL B1, ROL B2, ROL B3, ROL B4**Ice Type** 16,5 x 18 x 11**Refrigerant** R290**Dimensions (WxDxH)** 560 x 569 x 695 mm**Net Weight** 102 kg



Nugget ice

Nugget ice. Provides a fast and effective cooling effect while being easy to store, handle, and portion.

Ideal for preparing muddled cocktails. Made from compressed ice with a low water content, it lasts longer and melts more slowly.




* Ambient Temperature +21 °C - * Water Temperature +15 °C
 * Plus 5 mm feet ** Adjustable feet 110-150 mm



4583.76.453

granular ice



ES 60 NG

Daily Production* 65 kg
Bin Capacity up to 10 kg
Refrigerant R290

Dimensions (WxDxH) 450 x 620 x 680* mm
Net Weight 56 kg

ES 102 NG

Daily Production* 111 kg
Bin Capacity up to 20 kg
Refrigerant R290

Dimensions (WxDxH) 496 x 660 x 685** mm
Net Weight 59 kg

ES 150 NG

Daily Production* 150 kg
Bin Capacity up to 40 kg
Refrigerant R290

Dimensions (WxDxH) 741 x 678 x 925** mm
Net Weight 85 kg

**ES 155 NG**

Daily Production* 150 kg
Bin Capacity up to 55 kg
Refrigerant R290

Dimensions (WxDxH) 741 x 678 x 1015** mm
Net Weight 87 kg

ESM 160 NG

Daily Production* 155 kg
Compatible bins BP 240, BX 110,
 BX200, ROL B1
Refrigerant R290

Dimensions (WxDxH) 560 x 569 x 600 mm
Net Weight 63 kg

ESM 280 NG

Daily Production* 270 kg
Compatible bins BP 240, BX 110,
 BX200, BX350, ROL B1, ROL B2
Refrigerant R290

Dimensions (WxDxH) 560 x 569 x 695 mm
Net Weight 83 kg

ESM 510 NG**Daily Production*** 425 kg**Compatible bins** BP 240, BX 110, BX 200, BX 350, BX 550, ROL B1, ROL B2, ROL B3, ROL B4**Refrigerant** R290**Dimensions (WxDxH)** 560 x 569 x 695 mm**Net Weight** 102 kg**ESM 1000 NG****Daily Production*** 1000 kg**Compatible bins** BX 550, ROL B3, ROL B4**Refrigerant** R290**Dimensions (WxDxH)** 934 x 684 x 700 mm**Net Weight** 177 kg*COMING SOON***ESM 510 Split****Daily Production*** 510 kg**Compatible bins** BP 240, BX 110, BX 200, BX 350, BX 550, ROL B1, ROL B2, ROL B3, ROL B4**Compatible Refrigerants** R404A, R507, R448A, R449A, R407F, R452A**Dimensions (WxDxH)** 560 x 569 x 695 mm**Net Weight** 67 kg**ESM 1000 Split****Daily Production*** 1000 kg**Compatible bins** BX 550, ROL B3, ROL B4**Refrigerant** R404A, R507, R448A, R449A, R407F, R452A**Dimensions (WxDxH)** 765 x 600 x 695 mm**Net Weight** 118 kg**ESM 700 Split CO₂****Daily Production*** 720 kg**Compatible bins** BP 240, BX 110, BX 200, BX 350, BX 550, ROL B1, ROL B2, ROL B3, ROL B4**Refrigerant** CO₂**Dimensions (WxDxH)** 560 x 569 x 695 mm**Net Weight** 67 kg**ESM 1400 Split CO₂****Daily Production*** 1400 kg**Compatible bins** BX 550, ROL B3, ROL B4**Refrigerant** CO₂**Dimensions (WxDxH)** 765 x 600 x 695 mm**Net Weight** 118 kg**ESM 702 Split DEV CO₂ ESM 1402 Split DEV CO₂****Daily Production*** 720 kg**Compatible bins** BP240, BX110, BX200, BX350, BX550, ROL B1, ROL B2, ROL B3, ROL B4**Refrigerant** CO₂**Dimensions (WxDxH)** 698 x 569 x 695 mm**Net Weight** 75 kg*COMING SOON***Daily Production*** 1400 kg**Compatible bins** BX550, ROL B3, ROL B4**Refrigerant** CO₂**Dimensions (WxDxH)** 903 x 597 x 695 mm**Net Weight** 119 kg*COMING SOON***Granular ice**

Ideal for the display and presentation of food products, as well as for use in the chemical, pharmaceutical, and sports sectors.

Provides a fast and effective cooling effect. Easy to store, handle, and portion according to weight and volume.

*Ambient Temperature +21 °C - *Water Temperature +15 °C
 * Plus 5 mm feet ** Adjustable feet 110-150 mm



Industry



Fresh Food
Display



Fish Market



flat scales



ESP 250 NG

Daily Production* 285 kg
Compatible bins BX 200, BX 350
Refrigerant R290

Dimensions (WxDxH) 870 x 550 x 600** mm
Net Weight 100 kg

COMING SOON

ESP 400 NG

Daily Production* 450 kg
Compatible bins BX 350, BX 550, ROL B2
Refrigerant R290

Dimensions (WxDxH) 900 x 588 x 705 mm
Net Weight 137 kg

COMING SOON

ESP 600 NG

Daily Production* 550 kg
Compatible bins BX 350, BX 550,
 ROL B2, ROL B3, ROL B4
Refrigerant R290

Dimensions (WxDxH) 900 x 588 x 705 mm
Net Weight 151 kg

COMING SOON

**ESP 900 NG**

Daily Production* 910 kg
Compatible bins BX 550, ROL B3, ROL B4
Refrigerant R290

Dimensions (WxDxH) 1107 x 700 x 880 mm
Net Weight 241 kg

COMING SOON

ESP 1500

Daily Production* 1500 kg
Compatible bins BX 550, ROL B3
Refrigerant R454C

Dimensions (WxDxH) 1107 x 700 x 970 mm
Net Weight 306 kg

COMING SOON

ESP 2000

Daily Production* 2231 kg
Compatible bins /
Refrigerant R454C

Dimensions (WxDxH) 1062 x 832 x 1423 mm
Net Weight 520 kg

COMING SOON

ESP 400 Split



Daily Production* 400 kg

Compatible bins BX350 - ROLB2 - BX550

Compatible Refrigerants R404A, R507,
R448A, R449A, R407F, R452A

Dimensions (WxDxH) 495 x 588 x 705 mm

Net Weight 66 kg

ESP 600 Split



Daily Production* 620 kg

Compatible bins BX 350, BX 550,
ROL B2, ROL B3, ROL B4

Compatible Refrigerants R404A, R507,
R448A, R449A, R407F, R452A

Dimensions (WxDxH) 495 x 588 x 705 mm

Net Weight 73 kg

ESP 900 Split



Daily Production* 900 kg

Compatible bins BX 550, ROL B3, ROL B4

Compatible Refrigerants R404A, R507,
R448A, R449A, R407F, R452A

Dimensions (WxDxH) 604 x 700 x 880 mm

Net Weight 138 kg

ESP 1500 Split



Daily Production* 1500 kg

Compatible bins BX 550, ROL B3

Compatible Refrigerants R404A, R507,
R448A, R449A, R407F, R452A

Dimensions (WxDxH) 604 x 700 x 970 mm

Net Weight 144 kg

ESP 2000 Split



Daily Production* 2300 kg

Compatible bins /

Compatible Refrigerants R404A, R507,
R448A, R449A, R407F, R452A

Dimensions (WxDxH) 736 x 832 x 1075 mm

Net Weight 300 kg

ESP 5000 Split



Daily Production* 5000 kg

Compatible bins /

Compatible Refrigerants R404A, R507,
R448A, R449A, R407F, R452A

Dimensions (WxDxH) 1270 x 1015 x 1076 mm

Net Weight 600 kg

*Ambient Temperature +21 °C - *Water Temperature +15 °C

ESP 600 Split CO₂ ESP 1000 Split CO₂ ESP 1500 Split CO₂



Daily Production* 620 kg

Compatible bins BX350, BX550,
ROL B2, ROL B3, ROL B4

Refrigerant CO₂

Dimensions (WxDxH) 495 x 588 x 705 mm

Net Weight 73 kg



Daily Production* 1040 kg

Compatible bins BX 550, ROL B3, ROL B4

Refrigerant CO₂

Dimensions (WxDxH) 604 x 700 x 880 mm

Net Weight 138 kg



Daily Production* 1520 kg

Compatible bins BX 550, ROL B3

Refrigerant CO₂

Dimensions (WxDxH) 604 x 700 x 970 mm

Net Weight 144 kg

ESP 602 Split DEV CO₂ ESP 1002 Split DEV CO₂ ESP 1502 Split DEV CO₂



Daily Production* 620 kg

Compatible bins BX350, BX550,
ROL B2, ROL B3, ROL B4

Refrigerant CO₂

Dimensions (WxDxH) 495 x 728 x 705 mm

Net Weight 80 kg

COMING SOON



Daily Production* 1040 kg

Compatible bins BX 550, ROL B3, ROL B4

Refrigerant CO₂

Dimensions (WxDxH) 604 x 836 x 880 mm

Net Weight 140 kg

COMING SOON



Daily Production* 1520 kg

Compatible bins BX 550, ROL B3

Refrigerant CO₂

Dimensions (WxDxH) 604 x 836 x 970 mm

Net Weight 160 kg

COMING SOON

Flat scales

Ideal for the processing, transportation, and preservation of food products. Made of 100% ice, with a thickness ranging from 1.5 to 3 mm. Dispensing temperature from -5°C to -10°C. Easy to store, handle, and portion.

*Ambient Temperature +21 °C - *Water Temperature +15 °C **Approximate Dimensions





Ice bin



	BP 240	BX 110	BX 200	BX 350	BX 550	ROL B1	ROL B2	ROL B3	ROL B4
EPCM 150	●		●	●					
EPCM 300 NG				●					
EPCM 300 Split				●					
EFM 200 NG	●		●	●			●		
EFM 500 NG	●		●	●			●		
EFM 750				●					
ENM 140 NG	●	●	●			●			
ENM 250 NG	●	●	●	●		●	●		
ENM 450 NG	●	●	●	●	●	●	●	●	●
ESM 160 NG	●	●	●			●			
ESM 280 NG	●	●	●	●		●	●		
ESM 510 NG	●	●	●	●	●	●	●	●	●
ESM 1000 NG					●			●	●
ESM 510 Split	●	●	●	●	●	●	●	●	●
ESM 700 S CO ₂ ESM 702 S DEV CO ₂	●	●	●	●	●	●	●	●	●
ESM 1000 Split					●			●	●
ESM 1400 S CO ₂ ESM 1402 S DEV CO ₂					●			●	●
ESP 250 NG			●	●					
ESP 400 NG				●	●		●		
ESP 600 NG				●	●		●	●	●
ESP 900 NG					●			●	●
ESP 1500					●			●	
ESP 400 Split				●	●		●		
ESP 600 Split / CO ₂ / ESP 602 S DEV CO ₂				●	●		●	●	●
ESP 900 Split					●			●	●
ESP 1000 S CO ₂ ESP 1002 S DEV CO ₂					●			●	●
ESP 1500 Split / CO ₂ / ESP 1502 S DEV CO ₂					●			●	

BP 240**Bin Capacity** 180 kg**Dimensions (WxDxH)** 942 x 795 x 1053 *** mm**Finish** Food-grade polyethylene suitable for food contact**Net Weight** 64 kg**BX 110****Bin Capacity** 100 kg**Dimensions (WxDxH)** 560 x 815 x 1000 *** mm**Finish** Stainless Steel AISI 304, Scotch Brite**Net Weight** 53 kg**BX 200****Bin Capacity** 200 kg**Dimensions (WxDxH)** 870 x 790 x 1000 *** mm**Finish** Stainless Steel AISI 304, Scotch Brite**Net Weight** 74 kg**BX 350****Bin Capacity** 350 kg**Dimensions (WxDxH)** 1250 x 815 x 1000 *** mm**Finish** Stainless Steel AISI 304, Scotch Brite**Net Weight** 102 kg**BX 550****Bin Capacity** 550 kg**Dimensions (WxDxH)** 1110 x 1060 x 1915 mm**Finish** Stainless Steel AISI 304, Scotch Brite**Net Weight** 163 kg**ROL B1****Cart** 108 kg**Storage Capacity** 17 kg**Dimensions (WxDxH)** 795 x 1060 x 1284 mm**Finish: Structure** Stainless Steel AISI 304, Scotch Brite **Cart** Food-grade polyethylene suitable for food contact**Net Weight** 64 kg**ROL B2****Carts** 108 kg x 2**Storage Capacity** 50 kg**Dimensions (WxDxH)** 1560 x 1060 x 1484 mm**Finish: Structure** Stainless Steel AISI 304, Scotch Brite **Carts** Food-grade polyethylene suitable for food contact**Net Weight** 183 kg**ROL B3****Carts** 108 kg x 2**Storage Capacity** 300 kg**Dimensions (WxDxH)** 1560 x 1330 x 1810 mm**Finish: Structure** Stainless Steel AISI 304, Scotch Brite **Carts** Food-grade polyethylene suitable for food contact**Net Weight** 204 kg**ROL B4****Carts** 108 kg x 2**Storage Capacity** 1000 kg**Dimensions (WxDxH)** 1560 x 1330 x 2460 mm**Finish: Structure** Stainless Steel AISI 304, Scotch Brite **Carts** Food-grade polyethylene suitable for food contact**Net Weight** 251 kg

*** Adjustable feet 110–160 mm



Green Tech Technology

Green Tech is designed to reduce environmental impact through the use of recyclable materials and a modular structure that can be easily disassembled.

The side openings ensure internal ventilation, extending the system's lifespan, while the dual water inlet, where available, optimizes resource usage by separating non-potable water for condensation from filtered water for ice production.

Maintenance is simple and fast, and the insulated bin ensures longer-lasting ice preservation.

Technology available on ECP, ECF, and ES models.

-33%

Volume of transported
raw materials



-55%

CO₂ emissions
into the atmosphere



CERTIFICATIONS

At Brema Group, quality means reliable machines that are tested to operate continuously, even under demanding thermal conditions. The numerous certifications we have obtained attest to the safety and reliability of our processes and products, which comply with the highest international standards.

Furthermore, our laboratory is recognized as a CTF (Customer Testing Facility) by the IEC (International Electrotechnical Commission) under the IEC System of Conformity Assessment Schemes for Electrotechnical Equipment and Components (IECEE), authorizing the execution of in-house testing in accordance with the electrical safety standards applicable to our products.





eurfrigor



The images contained in this catalogue are for illustrative purposes only and are not to be considered binding.
Information may be subject to change without prior notice.



Brema Group S.p.A. with sole shareholder subject to the management and coordination of Hoshizaki Corporation
Via dell'Industria, 10 - 20035 Villa Cortese (MI), Italy - Tel. +39 0331 434811
info@bremaicegroup.it - www.bremagroup.it
Tax Code and VAT No. 09290260158 | REA Milan n° 1281855 | ISO Code IT n° 09290260158
Share Capital € 208.000 i.v. | N° AEE: IT08010000000200



eurfrigor.net

